## PCT

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 96/17611 (51) International Patent Classification 6: (11) International Publication Number: A1 A61K 31/53, 9/00, 9/20 13 June 1996 (13.06.96) (43) International Publication Date:

GB

(21) International Application Number: PCT/GB95/02865 7 December 1995 (07.12.95) (22) International Filing Date:

7 December 1994 (07.12.94) 9424766.5 (71) Applicant (for all designated States except US): THE WELL-

COME FOUNDATION LIMITED [GB/GB]; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 ONN (GB).

(72) Inventors; and (75) Inventors/Applicants (for US only): HISKETT, Simon, Philip [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB). TAYLOR, Susan, Ann [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB).

(74) Agent: WOODS, Geoffrey, Corlett, J.A. Kemp & Co., 14 South Square, Gray's Inn, London WCIR 5LX (GB).

(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CP, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TO), ARIPO patent (KE, LS, MW, SD, SZ, UG).

Published

With international search report.

(54) Title: PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE

#### (57) Abstract

(30) Priority Data:

A pharmaceutical formulation comprises: (a) from 0.5 to 50 % by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof, (b) from 15 to 50 % by weight of lactose, (c) from 15 to 50 % by weight of starch, (d) from 0.5 to 15 % by weight of crystalline cellulose, and (e) from 5 to 15 % by weight of polyvinylpymolidone, and which is in the form of a free-flowing powder of granules having the following properties: (i) no granules have a particle size of greater than 850 µm, (ii) at least 90 % by weight of the granules have a particle size of from 75 to 850 µm, (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeis of Japan, twelfth edition, 1991, and (Iv) at least 90 % by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GB	Georgia	MW	Malawi
	Barbados	GN	Guines	NE	Niger
80		GR	Grecce	NL	Netherlands
DE	Belgium	HU	Hingary	NO	Norway
BF	Burkine Feso	12	Ireland	NZ	New Zealand
BG	Bulgaria			PL	Poland
BJ	Benin	ır	Italy	PT	Portugal
BR	Brazil	JP	Japan		Romenia
BY	Beisrus	KE	Kenya	RO	
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CT	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	K/R	Republic of Kores	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
-		<u> </u>	Liechtenstein	824	Secegal
CM	Caractoon	ĩ.ĸ	Sri Laska	110	Chad
CN	China	พ	Laxembourg	TG	Togo
C3	Czechoslovakis			ŦĴ	Tajikistan
CZ	Czech Republic	LV	Latvia	<del>"</del>	Trinidad and Tobego
DE	Germany	MC	Monaco		Uleraine
DK	Demmark	MD	Republic of Moldova	UA	United States of America
ES	Spain	MG	Madagascer	US	
PI	Finland	ML	Mall	UZ	Uzbekissan .
PR	Prince	MN	Mongolia	VN	Vict Nam
P.K	Cohen		•		•

## PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE

The present invention relates to a pharmaceutical formulation of lamotrigine and pharmaceutically acceptable acid addition salts thereof. The invention also relates to the preparation of such a formulation.

Lamotrigine is 3,5-diamino-6-(2,3-dichlorophenyl)1,2,4-triazine. It is disclosed in EP-A-0021121.

Lamotrigine is useful for the treatment of epilepsy. No powder formulation of lamotrigine or one of its salts is
10 currently available.

Pharmaceutical formulations in powder form can be prepared by a fluid bed granulating process or spray granulation. However, such processes represent a complex interaction of processing variables.

We have now prepared a number of powder formulations of lamotrigine. Only one type of formulation, however, proved to be entirely satisfactory. Accordingly, the present invention provides a pharmaceutical formulation which comprises:

- 20 (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
  - (b) from 15 to 50% by weight of lactose,
  - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline 25 cellulose, and
  - (e) from 5 to 15% by weight of polyvinylpyrrolidone, and which is in the form of a free-flowing powder of granules having the following properties:
- 30 (i) no granules have a particle size of greater than 850μm,
  - (ii) at least 90% by weight of the granules have a particle size of from 75 to  $850\mu m$ ,
- (iii) the granules disintegrate within 30 minutes 35 according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and
  - (iv) at least 90% by weight of the lamotrigine or

lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991.

The formulation of the invention is provided by a process which comprises spray-granulating:

- · (a) from 0.5 to 50% by weight of lamotrigine or a lamotrigine salt,
  - (b) from 15 to 50% by weight of lactose,
  - (c) from 15 to 50% by weight of starch, and
- (d) from 0.5 to 15% by weight of crystalline cellulose,

in the presence of, as a binder:

(e) from 5 to 15% by weight of 15 polyvinylpyrrolidone.

The granules of which the powder of the invention is composed are agglomerates. The lamotrigine or lamotrigine salt is provided on particles of lactose and starch which each act as an adsorbent bulking agent. A homogenous powder mixture comprising components (a) to (d) may be formed as a pre-blend prior to starting the spray granulation procedure. The presence of the lactose aids the formation of this pre-blend. The crystalline cellulose confers disintegrant and dissolution properties on the granules. The polyvinylpyrrolidone acts as a binder.

Any suitable lamotrigine salt which is a pharmaceutically acceptable acid addition salt can be used. Preferred salts are the methanesulphonate and isethionate salts. These salts can be made by reacting lamotrigine as the free base with the appropriate acid.

Preferably up to 98% by weight of the granules of the invention have a particle size of from 75 to 850µm. At least 92% by weight of the granules may have such a particle size, for example from 92 to 95% by weight of the granules. Preferably no more than 5% by weight of the granules have a particle size greater than 500µm, for example no more than 3% by weight. Desirably, no granules

20

at all have a particle size greater than  $500\mu m$ . Particle size is determined by the Particle Size Distribution Test for Powders, The Pharmacopoeia of Japan, twelfth edition, 1991.

Typically, at least 90% by weight of the lamotrigine or lamotrigine salt in the granules is dissolved within 15 minutes according to the Dissolution Test, method 2 (paddle method). The amount of lamotrigine dissolved is determined by an appropriate physicochemical technique, for example by 10 ultraviolet (UV) analysis or by high pressure liquid chromatography (hplc).

The powder of the invention is generally dust-free. It is preferably white although it may be white to offwhite. A colourant could be present, though. It is free-15 flowing, as may be determined by the eye. Typically the bulk density of the powder is from 0.3 to 0.6 g/cm3, for example from 0.35 to 0.50 g/cm $^3$  or from 0.36 to 0.40 g/cm $^3$ . Residual moisture levels are generally from 0.5 to 5.0% by weight, for example from 1 to 3% by weight.

Preferred formulations contain from 0.5 to 30% by weight of lamotrigine or a lamotrigine salt. Formulations may thus contain from 0.5 to 20% by weight, for example from 0.5 to 15% by weight or from 1 to 10% by weight, of lamotrigine or a lamotrigine salt. Particularly preferred 25 are formulations containing 1%, 2%, 5% or 10% by weight of lamotrigine or a lamotrigine salt.

The amounts of lactose and starch in the formulations are greater the smaller the amount of lamotrigine or lamotrigine salt that is present. The starch is preferably 30 corn starch. Suitable amounts of lactose and starch may be from 15 to 45% by weight, for example from 30 to 45% by weight or from 35 to 45% by weight or from 40 to 45% by weight. Preferably the amount of lactose is 70 to 130%, for example 90 to 110%, the amount of starch. Typically, 35 the amounts of lactose and starch are the same.

The powders of the invention may contain from 3 to 8% by weight, for example from 3.5 to 6% by weight, of

crystalline cellulose. Powders containing 5% by weight of crystalline cellulose are preferred.

Preferably the amount of polyvinylpyrrolidone present is from 5 to 10% by weight, for example from 6 to 9% by weight, of the formulation. Powders containing 8% by weight of polyvinvylpyrrolidone are preferred.

A preferred formulation of the invention comprises:

- (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
  - (b') from 35 to 45% by weight of lactose,
  - (c') from 35 to 45% by weight of starch,
- (d') from 3.5 to 6% by weight of crystalline cellulose, and

10

- (e') from 6 to 9% by weight of polyvinylpyrrolidone.
- An especially preferred formulation comprises 1% by weight of lamotrigine, 43% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone. Another especially preferred formulation comprises 10% by weight of
- lamotrigine, 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.

A formulation of the invention is prepared by a process which comprises spray-granulating the lamotrigine or lamotrigine salt, lactose, starch, crystalline cellulose in the presence of, as a binder, the polyvinylpyrrolidone. The lamotrigine salt, lactose, starch and crystalline cellulose are each provided as powders having particle sizes, for example average particle sizes, well below 850µm and, indeed, below 200µm. These four components may be pre-blended as a uniform mixture prior to the spray granulation step.

A solution of polyvinylpyrrolidone is prepared as a binder solution. The solution may be an aqueous or aqueous/ethanolic solution. A proportion of the polyvinylpyrrolidone, for example from 30 to 60% by weight or more especially 50% by weight, may be pre-blended with

WO 96/17611 PCT/GB95/02865

- 5 -

the lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose.

A fluid bed granulation process is employed to obtain the powder of the invention. A rotary-type fluid 5 granulator is typically used. The lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose are introduced in powder form into the granulator, for example as a pre-blended mixture. The binder solution is sprayed onto the fluidising powder. The particles of the 10 fluidising powder adhere to one another. The desired granules form. The conditions under which granulation is effected can be adjusted as appropriate.

The granules thus obtained may be sieved to ensure that the appropriate particle size requirements are met. 15 Thus, the granules may be sieved through a sieve of  $850\,\mu\mathrm{m}$ mesh size to ensure no granules having a particle size of greater than  $850\mu m$  are present. Further, the granules may be sieved through a sieve of  $500\mu m$  mesh size to ensure that no more than 5% by weight of the granules have a particle 20 size greater than 500 mm. Yet further, the granules may be sieved through a sieve of 75 µm mesh size. Indeed, the granules obtained from the granulator may be passed to a sieve stack fitted with 850, 500 and 75 µm sieves. Oversized and undersized materials are rejected.

The lamotrigine or lamotrigine salt employed as a starting material typically has a particle size of  $125\mu m$  or The starting lactose generally has a particle size of below 250 $\mu$ m, especially 200 $\mu$ m or less such as from 50 to  $200\mu m$ . The lactose may be an anhydrous lactose, for 30 example direct compression lactose such as Lactose DCL21, or lactose monohydrate.

25

The particle sizes of Lactose DCL21 and another grade of lactose that can be used, Lactose DMV200, are as follows:

	DCL 21		DCL 200 II	
		Approx	. A F	Approx 40-50%
	> 50µm	85∜	> 45µm	40-304
	> 150µm	40%	> 63 µm	17-22*
5	> 250 μm	5 <b>%</b>	> 100 μm	1-7%
	> 355 μm	0*	> 160 µm	0-14
			> 250 μm	0%

The starch may be rice, wheat or corn starch. Corn 10 starch is alternatively termed maize starch and is preferred. A powder of starch of a particle size of from 30 to  $150 \mu m$  is typically used as a starting material. starch may be a partially pregelatinised starch such as Starch 1500 manufactured by Colorcon, Indianapolis, Indiana 15 46218, US, or a fully gelatinised starch such as National 1551.

The crystalline cellulose typically is a powder of, for example, an average particle size of from 40 to 100 $\mu m$ such as from 50 to  $90\mu m$ . A suitable crystalline cellulose 20 is Avicel PH 102 having an average particle size of  $90\,\mu\text{m}$ . Crystalline cellulose is alternatively called microcrystalline cellulose.

Any suitable polyvinylpyrrolidone capable of acting as a binder can be employed. The polyvinylpyrrolidone may 25 be a linear polymer of 1-vinyl-2-pyrrolidone having an average molecular weight of about 40000, such as Povidone K30. Alternatively, a linear polymer of 1-vinyl-2pyrrolidone having an average molecular weight of about 1200000, such as Povidone K90, may be employed.

The powder that is produced by spray granulation and, if necessary, subsequent sieving is then introduced into a container which is then closed. The container may be sealed. It may be a single-dose or multi-dose container. The container may be jar, bag or sachet. Sachets, 35 especially foil sachets, are particularly suitable.

The following Examples illustrate the invention.

- 7 -

# Example 1

1 Kg of each of five powders was prepared by spray granulation. The formula for each powder is as follows:

5	Formula A (comparison)
	Lamotrigine 125 $\mu$ m 1.0% by weight
	Lactose Fastflo 91.0% by weight
	Povidone K30 British
	Pharmacopoeia (BP) 8.0% by weight
10	
	Lamotrigine 125 $\mu$ m is lamotrigine having particle
	sizes up to 125µm. Lactose Fastflo is an anhydrous spray-
	dried lactose manufactured by Wisconsin Dairies, Baraboo,
	Wisconsin 53913, U.S
15	·
	Formula B (comparison)
	Lamotrigine 125μm
	Lactose Fastflo
	Lactose DCL21
20	Povidone K30 BP 8.0% by weight
	Hydroxypropylcellulose low substitution
	(LHPC-11)
	Formula C (invention)
25	Lamotrigine 125µm
	Lactose DCL21
	Pregelatinised Maize (Corn) Starch
	BP/USNF (Starch 1500)
	Microcrystalline cellulose BP
30	(Avicel PH 102) 5.0% by weight
	Povidone K30 BP 8.0% by weight
	Formula D (comparison)
	Lamotrigine 125 $\mu$ m 1.0% by weight
35	Pregelatinised Maize (Corn) Starch
33	BP/USNF (Starch 1500) 86.0% by weight
	Hydroxvoropylcellulose

	· - 8 -
	low substitution (LHPC-11) 5.0% by weight
	Povidone K30 BP 8.0% by weight
	Formula E (comparison)
5	Lamotrigine 125 $\mu$ m 1.0% by weight
	Pregelatinised Maize Starch
	BP/USNF (Starch 1500)
	Povidone K30 BP 8.0% by weight
10	Formula C was spray-granulated as follows as 2 x 5 kg
	sub-lots:
	<ol> <li>A Povidone binder solution was prepared and</li> </ol>
	stored at room temperature.
	2. The pregelatinised starch was passed through a
15	250um sieve to remove any large agglomerates.
	<ol> <li>The lamotrigine, lactose, starch and Avicel</li> </ol>
	puing were pre-blended in a Collette mixer as a
	precautionary measure to facilitate uniform lamotrigine
	distribution.
20	4. The powder was spray-granulated in a Glatt
	cpcc5 granulator using a Schlick spray gun of nozzle
	aperture 1.2mm utilising atomising air at a pressure of 2
	have The hinder solution pumping rate was approximately
	90ml per minute. The inlet air temperature was controlled
	of between 150-250m per hour was

- 25 at 72°C and an air volume of between 150-250m³ per hour was utilised to provide sufficient fluidisation to allow drying and granulation to occur simultaneously. The drier bags were shaken for approximately 6 seconds at 1.5 minute intervals to remove fine powder.

  5. During granulation the product temperature was
- 30 5. During granulation the product temperature was recorded. This temperature was typically 32-34°C but once spraying had been completed this rose shortly afterwards to 45-50°C indicating that final drying was occurring. The overall process time was of the order of 1 hour per sub-
  - 6. The two sub-lots of granules were then blended in a large polythene bag and finally sieved through a

Russell Finex sieve using screen of  $710\mu m$  and  $100\mu m$  to remove under and over-sized components of the granules.

Formulae A, B, D and E were spray-granulated in analogous fashion. Powders of free-flowing white granules were obtained in the case of formulae A to C and E. Formula D gave a powder which was severely overmassed. A substantial proportion of particles were oversize. This powder was not therefore satisfactory and was not tested further. The properties of the powders obtained from formulae A to C and E are as follows:

		The second secon			
	Pormula	A	В	С	E
	Yield %	91.8	80.5	87.4	86.3
15	Moisture %	0.68	1.21	2.46	0.65
	Untamped Bulk Density g/cm³	0.40	0.53	0.37	0.50
20	<pre>% by weight of granules over 850μm in size</pre>	0%	0%	0%	0%
	t by weight of granules over 500μm in size	4.8	1.2	8.1	2.0
25	% by weight of granules over 75µm in size	94.8	97.8	92.5	97.4
	Disintegration Test	Complies	Complies	Complies	Complies

30 Disintegration Test, The Pharmacopoeia of Japan, twelfth edition, 1991.

Initially, 9.8% by weight of the powder obtained from formula B did not pass through a 500 µm sieve. The powder was therefore resieved through a 500 µm sieve. Subsequent sieve analysis showed that only 1.2% of the powder then did not pass through a 500 µm test sieve. Different 500 µm sieves were used for the resieving and the subsequent testing, which accounts for why some powder still did not

WO 96/17611 PCT/GB95/02865

- 10 -

pass through the 500 µm test sieve.

#### Example 2

### 5 General

The effect of temperature, humidity and artificial light was studied on the stability of the powders obtained in Example 1 according to formulae A to C and E. The powders were stored for two months at 40°C and 75% relative humidity (R.H.) in both amber glass bottles closed with plastic caps and open amber glass bottles. They were also stored at 50°C and 60°C for 2 months in amber glass bottles closed with plastic caps. Further, they were stored at 25°C under artificial light conditions (1000 lux) for up to 1.2 million lux.hr total irradiation.

#### Test Items

The following parameters were monitored to evaluate the stability of the formulations:

20

## 1. Appearance

## 2. Loss on drying

Conditions of 60°C in vacuo for 3 hours were employed for formulae A and B. Conditions of 60°C in vacuo for 6 hours were employed for formulae C and E. These test conditions were decided with reference to the test conditions of lactose and starch in The Pharmacopoeia of Japan, twelfth edition, 1991.

30

# Assay and related substances

A lamotrigine assay and a purity test were conducted by high pressure liquid chromatography (hplc).

## 35 4. Dissolution test

Dissolution of the powders was studied using the Dissolution Test, method 2 (paddle method) of The

WO 96/17611 PCT/GB95/02865

- 11 -

Pharmacopoeia of Japan, twelfth edition, 1991. The time points of sampling were 15, 30 and 45 min and 0.1 N hydrochloric acid was used as the test solution.

Lamotrigine was detected by ultraviolet absorption.

5

#### Results

#### 1. Appearance

Under 40°C and 75% R.H., all of the powders in open glass bottles formed lumps in the high humidity and had turned pale yellowish white in colour. The colour of, in particular, the powder of formula B easily changed under severe conditions compared to the colour of the other particles. Results are shown in Tables 1 to 5 below.

15

#### 2. Loss on drying

Formula E was the most hygroscopic powder. The results are shown in Tables 1 to 5.

## 20 3. Assay and related substances

From the degradation point of view, the most stable powder was that obtained from formula E and the most unstable powder was that from formula A under the high humidity conditions such as 40°C, 75% R.H., open glass bottle conditions.

#### 4. Dissolution test

All of the formulations showed rapid dissolution.

More than 90% of the lamotrigine in each powder was

dissolved within 15 minutes.

Table 1: Granules Stored under 40°C. 75% R.H. Conditions
(Container: Closed Glass Bottles).

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	В	White powder	White powder	Pale yellowish white powder
	С	White powder	White powder	White powder
	B	White powder	White powder	White powder
Loss on Drying	Α	1.15 ± 0.10°	1.40 ± 0.01	1.23 ± 0.02
(n=3, * by weight)	В	1.63 ± 0.16	1.67 ± 0.02	1.81 ± 0.07
Merdue,	C .	4.29 ± 0.12	4.98 ± 0.17	4.78 ± 0.01
	R	7.27 ± 0.16	7.44 ± 0.07	7.24 ± 0.02

': Mean + S.D.

Table 2: Granules Stored under 40°C, 75% R.H. Conditions
(Container: Open Glass Bottles).

			Storage Period	
Test Items	Formula	Initial	1 month	2 months
Appearance	A	White powder	Pale yellowish white cake	Pale- yellowish white cake
	В	White powder	Pale yellowish white cake	Pale. yellowish white cake
	С	White powder	Pale yellowish white cake	Pale yellowish white cake
	В	White powder	Pale yellowish white cake	Pale yellowish white cake
Loss on	A	1.15 ± 0.10	1.03 ± 0.31	2.15 ± 0.02
Drying	В	1.63 ± 0.16	1.05 ± 0.03	2.65 ± 0.03
(n=3, * by weight)	c	4.29 + 0.12	3.69 ± 0.20	8.24 ± 0.09
	E	7.27 ± 0.16	6.66 ± 0.24	14.32 ± 0.0

25 ' : Mean + S.D.

- 13 -

Table 3: Granules Stored under 50°C Condition

(Container: Closed Glass Bottles).

5

Test Items	Formula		Storage Period	
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	В	White powder	White powder	White powder
	С	White powder	White powder	White powder
	B	White powder	White powder	White powder
Lose on Drying	A	1.15 ± 0.10°	0.94 ± 0.11	0.59 ± 0.15
(n=3, % by weight)	В	1.63 ± 0.16	1.57 ± 0.19	1.05 ± 0.13
,	С	4.29 ± 0.12	4.12 ± 0.11	3.76 ± 0.15
	R	7.27 ± 0.16	7.04 ± 0.12	6.57 ± 0.14

: Mean ± S.D.

15

10

Table 4: Granules Stored under 60°C Condition

(Container: Closed Glass Bottles).

20

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	В	White powder	Pale yellowish white powder	Pale yellowish white powder
	С	White powder	Pale yellowish white powder	Pale yellowish white powder
	R	White powder	White powder	White powder
Loss on Drying	А	1.15 ± 0.10°	0.58 ± 0.11	0.42 + 0.03
(n=3, % by weight)	В	1.63 ± 0.16	0.75 ± 0.14	0.64 ± 0.08
meranc,	С	4.29 <u>+</u> 0.12	3.61 ± 0.11	3.13 ± 0.04
	В	7.27 ± 0.16	6.71 ± 0.17	6.03 ± 0.03

25

: Mean ± S.D.

......

...

Table 5: Granules Stored under 25°C, 1000 lux

Irradiation (Container: Glass Dishes).

5

	Test Items	Formula		Storage Period	
			Initial	0.6 million lux.hr	1.2 million lux.hr
10	Appearance	A	White powder	White powder	White powder
		В	White powder	White powder	White powder
		С .	White powder	White powder	White powder
		E	White powder	White powder	White powder
	Loss on Drying	A	1.15 ± 0.10°	_••	1.43 ± 0.06
	(n=3, % by	В	1.63 ± 0.16	-	1.90 ± 0.03
	weight)	С	4.29 ± 0.12		5.34 ± 0.05
		В	7,27 ± 0.16	-	9.03 ± 0.07

15 : Mean + S.D.
 : Not examined

### Conclusion

20

## Formula A (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. Under high humidity conditions, however, it became slightly unstable.

## 25 Formula B (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. However, it changed colour the most easily. Under high humidity conditions it became slightly unstable.

A STATE OF THE STATE OF

موا آبد جد

. 145

### Formula C (invention)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions.

5

## Formula E (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions. Under high humidity conditions, however, it absorbed the most moisture.

#### Example 3

Powders were prepared by spray granulation of each of the following formulae:

15

30

		Formula 1	Formula 2
	Lamotrigine 125 $\mu$ m	1.0% by weight	10.0% by weight
	Lactose, DMV 200 mesh	43.0% by weight	38.50% by weight
	Starch 1500	43.0% by weight	38.50% by weight
20	Avicel PH102	5.0% by weight	5.0% by weight
	Povidone K30	8.0% by weight	8.0% by weight

50g of lamotrigine 125μm and 2150g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 1) or 500g of
25 lamotrigine 125μm and 1925g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 2) were mixed together with 250g of Avicel PH102 and 200g of Povidone K30 in a Collette Planetary mixer for 3 minutes. An approximately uniform pre-blend of powders is thus produced.

Separately, 200g of Povidone K30, the second half of the Povidone K30, was dissolved in 600ml of demineralised water. That was then made up to 1000ml to give a 20% solids solution. This was used as the granulating solution.

The pre-blend of powders was added to a Freund SFC rotor granulator. This is a type of fluid bed granulator and provides a rotary type fluidization action on powders in order to achieve a suitable granule distribution. The

...

٧.

15

25

granulating solution was sprayed onto the fluidizing powders as a fine mist via an air type spray gun system. The addition of the granulating solution in this way resulted in the powders adhering together to form suitably sized granule particles. The process was continued until all the granulating solution had been added and the granules were of a suitable size.

More especially the following parameters were used on the Freund SFC granulator:

- 10 1) Inlet air temperature 80°C
  - 2) Rotor speed 300 rpm
  - 3) Agitator speed 450rpm
  - 4) Chopper speed 1500rpm
  - 5) Inlet air Volume 2.9m³/hr
  - 6) Atomizing air pressure 4kg/cm²
    - 7) Spray Nozzle Size 1.8mm
    - 8) Spray rate 45g/min

Using these parameters the required granules were produced employing:

- 20 1) Inlet air temperature 75-80°C
  - 2) Outlet air temperature 28-32°C
  - 3) Product temperature 28-35°C
  - 4) Air Volume 2.9-3.0m3/hr
  - 5) Spray rate 40-43g/min
  - 6) Time to granulate powders 22min
    - 7) Time to dry granule 11 min

The prepared granules were then passed through a sieve fitted with 850, 500 and 75µm sieves. The granules were sieved to the desired particle size requirements. In particular, no granules had a particle size greater than 850µm. At least 90% by weight of the granules had a particle size of from 75 to 850µm. Not more than 5% by weight of the granules had a particle size of greater than 500µm. The oversized and undersized granules were used.

35 Each powder has the following further properties:

(i) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia

- 17 -

of Japan, twelfth edition, 1991, and

(ii) at least 90% by weight of the lamotrigine dissolves within 30 minutes according to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of
 Japan, twelfth edition, 1991.

30

#### CLAIMS

- 1. A pharmaceutical formulation which comprises:
- (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
  - (b) from 15 to 50% by weight of lactose,
  - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline cellulose, and
  - (e) from 5 to 15% by weight of
- 10 polyvinylpyrrolidone,

and which is in the form of a free-flowing powder of granules having the following properties:

- (i) no granules have a particle size of greater than  $850\mu m$ ,
- 15 (ii) at least 90% by weight of the granules have a particle size of from 75 to 850μm,
  - (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and
- 20 (iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991,
- 25 2. A formulation according to claim 1, which comprises:
  - (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
    - (b') from 35 to 45% by weight of lactose.
    - (c') from 35 to 45% by weight of corn starch,
  - (d') from 3.5 to 6% by weight of crystalline cellulose, and
    - (e') from 6 to 9% by weight of polyvinylpyrrolidone.
- 3. A formulation according to claim 2, which
  35 comprises 1% by weight of lamotrigine, 43% by weight of
  each of lactose and starch, 5% by weight of crystalline
  cellulose and 8% by weight of polyvinylpyrrolidone.

- 4. A formulation according to claim 2, which comprises 10% by weight of lamotrigine 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.
- 5. A formulation according to any one of the preceding claims, wherein not more than 5% by weight of the granules have a particle size of greater than 500μm.
- 6. A formulation according to any one of the preceding claims, wherein the powder has a bulk density of from 0.36 to 0.40 g/cm<sup>3</sup>.
  - 7. A formulation according to any one of the preceding claims, wherein the starch is corn starch.
  - 8. A process for the preparation of a pharmaceutical formulation which comprises
- 15 (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
  - (b) from 15 to 50% by weight of lactose,
  - (c) from 15 to 50% by weight of starch,
- (d) from 0.5 to 15% by weight of crystalline 20 cellulose, and
  - (e) from 5 to 15% by weight of polyvinylpyrrolidone, and which is in the form of a free-flowing powder of granules having the following properties.
- 25 (i) no granules have a particle size of greater than  $850\mu m$ ,
  - (ii) at least 90% by weight of the granules have a particle size of from 75 to  $850\,\mu\text{m}$ ,
- (iii) the granules disintegrate within 30 minutes
  30 according to the Disintegration Test of The Pharmacopoeia
  of Japan, twelfth edition, 1991, and
  - (iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991, which process comprises spray-granulating the lamotrigine

or lamotrigine salt, lactose, corn starch and crystalline cellulose in the presence of, as a binder, polyvinylpyrrolidone.

. . . . .

etional Application No PCT/GB 95/02865

A. CLASSIFICATION OF SUBJECT MATTER 1PC 6 A61K31/53 A61K9/00 A61K9/20 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 A61K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Category ' Citation of document, with indication, where appropriate, of the relevant passages FR.A.2 702 149 (RHONE-POULENC RORER S.A.) 1-8 Y 9 September 1994 see page 2, line 23 - line 27 see examples A,B WO,A,94 13296 (RHONE-POULENC RORER S.A.) 1-8 23 June 1994 see page 3, line 26 - line 30 see examples A,B 1-8 WO,A,94 21260 (THE WELLCOME FOUNDATION LINITED) 29 September 1994 see example 4 WO,A,94 21261 (THE WELLCOME FOUNDATION 1-8 Y LIMITED) 29 September 1994 see example 2 -/--Patent family members are listed in annex. Further documents are tisted in the continuation of box C. \* Special categories of cited documents: "I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention earlier document but published on or after the international filling date "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone 'L.' document which may throw doubts on priority daim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention camet be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person shilled in the art. "O" document referring to an oral disclosure, use, exhibition or

Porm PCT/ISA/218 (second sheet) (July 1992)

Name and mailing address of the ISA

5 March 1996

document published prior to the international filing date but later than the priority date claimed

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2230 HV Rijswijk Td. (+31-70) 340-2040, Tz. 31 651 spo m, Pax (+31-70) 340-3016

Date of the actual completion of the international search

other means

"A" document member of the same patent family Date of mailing of the international search report

Authorized officer

Scarponi, U

12. 03. 96

L ational Application No PCT/GB 95/02865

	. <u></u> .	PCT/GB 95/02805
(Continu	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
TEROIA .	Citation of document, with undication, where appropriate, of the relevant passages	Kitasir p gemi ter
1	WO,A,93 16700 (THE WELLCOME FOUNDATION LIMITED) 2 September 1993 see example 8	1-8
Y	FR.A.2 700 114 (RHONE-POULENC RORER S.A.) 8 July 1994 see claims see examples A.B	1-8
Y	WO,A,94 20108 (RHONE-POULENC RORER S.A.) 15 September 1994 see examples A,B	1-8
A	GB,A,2 278 857 (THE WELLCOME FOUNDATION LIMITED) 23 November 1994 see the whole document	1-8
	÷	
	:	
	1	

Information on patent family members

PCT/GB 95/02865

				,
Patent document cited in search report	Publication date	Patent family member(s)		Publication date
FR-A-2702149		NONE		
WO-A-9413296	23-06-94	FR-A-	2699077	17-06-94
NO // D // 2020		AU-B-	5653994	04 <i>-</i> 07 <b>-</b> 94
		AU-B-	5654094	<del>0</del> 4-07 <b>-</b> 94
		AU-B-	5702094	04 <b>-</b> 07 <b>-</b> 94
		CA-A-	2151601	23-06-94
		CA-A-	2151603	23-06-94
		CA-A-	2151604	23- <del>0</del> 6-94
		CZ-A-	9501545	15-11-95
		CZ-A-	9501546	15-11 <b>-</b> 95
		CZ-A-	9501547	15-11 <b>-9</b> 5
	•	EP-A-	8674528	04-10-95
		EP-A-	9674512	<b>04-10-95</b>
		EP-A-	9674518	<del>04-10-95</del>
		WO-A-	9413298	23-06-94
		WO-A-	9413288	23-06 <b>-9</b> 4
		FR-A-	2699079	17-06-94
		FR-A-	2699978	17-06-94
		NO-A-	952228	86-86-95
		NO-A-	952229	06- <b>86-9</b> 5
		NO-A-	952230	<b>06-06-95</b>
		PL-A-	309346	02-10-95
		PL-A-	309347	02-10-95
		PL-A-	309348	92-10-95
		ZA-A-	9309399	22-08-94
		ZA-A-	9309400	19-08-94
		ZA-A-	9309401	19-68-94
WO-A-9421260	29-09-94	AU-B-	6217694	11-10-94
		EP-A-	0689439	03-01-96
WO-A-9421261	29-09-94	AU-B-	6217794	11-10-94
	£3-03-7 <del>4</del>	EP-A-	9689449	03-01-96
WO-A-9316700	02-09-93	AU-B-	3509293	13-09-93
MO-4-22TO/00	OF AND AND	EP-A-	9626851	87-12-94
		GB-A,B	2277265	26-10-94
		JP-T-	7503968	27-84-95

Information on patent family members

PCT/GB 95/02865

info	mater of biggs same men	DGT9	PCT/GB	95/02865	
Patent document cited in search report	Publication date	Patent f		Publication date	
FR-A-2700114	08-07-94	FR-A- AU-B- AU-B- CZ-A- CZ-A- EP-A- EP-A- FR-A- WO-A- WO-A- NO-A- NO-A- PL-A- PL-A- ZA-A- ZA-A-	2780117 5818894 5818994 5819094 9501764 9501765 6678023 6678026 2700115 9415601 9415601 9415607 952309 952310 309594 309596 86795 9400028 9400028	08-07-94 15-08-94 15-08-94 15-08-94 13-12-95 13-12-95 25-10-95 25-10-95 08-07-94 21-07-94 21-07-94 12-06-95 12-06-95 30-10-95 08-11-95 11-08-94 11-08-94	
WO-A-9420108	15-09-94	ZA-A- 	9400032 2702148 6143794 6143894 6143994 2154571 2154572 2154573 9502259 9502260 9502261 0687176 0687177 9420103 9420110 953370 953371 953372 310474	11-98-94 	

Information on patent family members

. .ustanul Application No PCT/GB 95/02865

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-9420108		PL-A- 310475 PL-A- 310476	
GB~A-2278057	23-11-94	AT-T- 133068 AU-B- 653203 AU-B- 1186392 AU-B- 659581 AU-B- 6745494 BE-A- 1004461 CZ-A- 9301082 DE-T- 4290300 DE-D- 69207656 EP-A- 0522128 FR-A- 2671970 WO-A- 9213527 GB-A,B 2257363 HU-A- 67019 JP-T- 6504544 LU-A- 88323 NL-T- 9220009 SK-A- 81793 EP-A- 0685231	22-09-94 07-09-92 18-05-95 08-09-94 24-11-92 19-01-94 07-10-93 29-02-96 13-01-93 31-07-92 20-08-92 13-01-93 30-01-95 26-05-94 05-01-94